

Page 1/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.04.2024 Version number 14.0 (replaces version 13.1) Revision: 23.04.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: KEIM GRANITAL
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Silicate exterior paint
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD

Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251

www.keim.com / sales@keimpaints.co.uk

· Further information obtainable from:

David Pratt

Telefon: +44 1952 231250
E-Mail: sales@keimpaints.co.uk

1.4 Emergency telephone number:

GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- PBT: Not applicablevPvB: Not applicable

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Silicate-based paint for outdoor use, with light resistant, inorganic pigments and mineral fillers.

(Contd. on page 2)



Page 2/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.04.2024 Version number 14.0 (replaces version 13.1) Revision: 23.04.2024

Trade name: KEIM GRANITAL

	(Cont	d. of page 1)
· Dangerous components:		
CAS: 1317-65-3 EINECS: 215-279-6	Natural calcium carbonate substance with a Community workplace exposure limit	2.5-10%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119486799-10- XXXX	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] ❖ Carc. 2, H351	2.5-10%

Additional information:

Route of exposure: Inhalation/contraction not given.

Alveolar particles (diameter \leq 10 μ m) bound in the paint matrix. For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Special protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)



Page 3/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.04.2024 Version number 14.0 (replaces version 13.1) Revision: 23.04.2024

Trade name: KEIM GRANITAL

(Contd. of page 2)

In case of fire do not breathe smoke, fumes and vapours. Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Respect the protection rules (see section 7 and 8).

6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

Dilute with plenty of water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the material collected according to regulations.

Flush rests with sufficient amount of water.

Clear contaminated areas thoroughly.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Do not inhale aerosols.

Ensure good ventilation/exhaustion at the workplace.

See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

Information about fire - and explosion protection:

The product is not flammable.

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:

Store in a cool place.

Protect from frost.

(Contd. on page 4)



Page 4/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.04.2024 Version number 14.0 (replaces version 13.1) Revision: 23.04.2024

Trade name: KEIM GRANITAL

(Contd. of page 3)

Protect from heat and direct sunlight.

· Storage class: 12

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:	
1317-65-3 Natural calcium carbonate	

WEL Long-term value: 10* 4** mg/m³ *inhalable dust; **respirable

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 $\mu m]$

WEL Long-term value: 10* 4** mg/m³ *total inhalable **respirable

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter: P

· Hand protection Protective gloves

Material of gloves

suitable material e.g.:

Nitrile impregnated cotton-gloves

Recommended thickness of the material: ≥ 0.5 mm

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: level ≥ 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 5)



Page 5/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.04.2024 Version number 14.0 (replaces version 13.1) Revision: 23.04.2024

Trade name: KEIM GRANITAL

(Contd. of page 4)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing
- · Environmental exposure controls

See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: Different, according to colouring.

Odourless Odourless

Odour threshold: Not determinedMelting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range >100 °C

· Flammability Not applicable

Lower and upper explosion limit

· **Lower:** Not applicable

· Upper: Not applicable · Flash point: Not applicable

· Auto-ignition temperature:· Decomposition temperature:Not determined

pH at 20 °C ~11*

Viscosity:

Kinematic viscosity
 Dynamic at 20 °C:
 Not determined
 1.200-1.700* mPas

Solubility

· water: Miscible

· Partition coefficient n-octanol/water (log

value) Not applicable • Vapour pressure at 20 °C: ~23 hPa

Density and/or relative density

Density at 20 °C:
Relative density

Vapour density

1.3-1.6* g/cm³

Not determined

Not applicable.

• 9.2 Other information * The values are for freshly produced material

and may change with the time.

· Appearance:

· Form: Pasty

(Contd. on page 6)



Page 6/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.04.2024 Version number 14.0 (replaces version 13.1) Revision: 23.04.2024

Trade name: KEIM GRANITAL

(Contd. of page 5)

Important information on protection of health

and environment, and on safety.

• **Ignition temperature:** Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

Void

· Change in condition · Softening point/range

· Oxidising properties: Not applicable · Evaporation rate Not applicable.

· Information with regard to physical hazard classes

· Explosives Void Flammable gases Void Void · Aerosols · Oxidising gases Void Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void

Self-heating substances and mixtures

Substances and mixtures, which emit flammable gases in contact with water
 Oxidising liquids
 Oxidising solids
 Organic peroxides
 Corrosive to metals
 Desensitised explosives

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under normal conditions of storage and use.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

GB



Page 7/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.04.2024 Version number 14.0 (replaces version 13.1) Revision: 23.04.2024

Trade name: KEIM GRANITAL

(Contd. of page 6)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

1317-65-3 Natural calcium carbonate				
Oral	LD50	>2,000 mg/kg (rat) (OECD 420)		
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)		
13403-07	-/ maillulli ul	oxide in bowder form containing 1 % or more of particles with		
	aerodynami	oxide [in powder form containing 1 % or more of particles with ic diameter ≤ 10 μm]		
Oral				
	aerodynami	ic diameter ≤ 10 μm]		
Oral Dermal	aerodynami ATE mix ATE mix	ic diameter ≤ 10 μm] >2,000 mg/kg (orally)		

- · Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- Serious eye damage/irritation

In case of longer exposure, slightly irritating effect to the eyes is possible.

- · during inhalation: Irritant effect possible.
- · during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

Subacute to chronic toxicity:

· Repeated dose toxicity

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 $\mu m]$

Inhalative NOAEC 10 mg/m³ (rat) (90d)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

_ ЭВ -



Page 8/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.04.2024 Version number 14.0 (replaces version 13.1) Revision: 23.04.2024

Trade name: KEIM GRANITAL

(Contd. of page 7)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquati	Aquatic toxicity:					
1317-6	1317-65-3 Natural calcium carbonate					
NOEC	16 mg/l /96h (algae)					
	16 mg/l /96h (fish)					
	16 mg/l /96h (invertebrates)					
13463-	13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 $\mu m]$					
NOEC	≥100,000 mg/kg (Freshwater sediment) Hyalella azteca					
EC50	>100 mg/kg (Freshwater algae) (OECD 201)					
EC 50	>10,000 mg/l (algae) (ISO 10253)					
LC 50	>10,000 mg/l (marine fish) (OECD 203)					
	>1,000 mg/l (freshwater fish) (EPA-540/9-85-006)					
	>1,000 mg/l (daphnia) (OECD 202)					

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable
- vPvB: Not applicable
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

The product contains TiO2.

· General notes:

The statements on ecotoxicology have been derived from the properties of the individual components.

Do not allow product to reach ground water, water course or sewage system.

At present there are no ecotoxicological assessments.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

CB



Page 9/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.04.2024 Version number 14.0 (replaces version 13.1) Revision: 23.04.2024

Trade name: KEIM GRANITAL

(Contd. of page 8)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Disposal must be made according to official regulations.

Must not be disposed with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary with cleansing agents.

	n
14.1 UN number or ID number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable
14.7 Maritime transport in bulk according	to Not applicable
Transport/Additional information:	No dangerous good in sense of these transport regulations.
UN "Model Regulation":	Void

— GB

(Contd. on page 10)



Page 10/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.04.2024 Version number 14.0 (replaces version 13.1) Revision: 23.04.2024

Trade name: KEIM GRANITAL

(Contd. of page 9)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

7631-99-4 Sodium nitrate

Listed

· Reportable poisons

None of the ingredients is listed.

· Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII
- · ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H351 Suspected of causing cancer.

- · Department issuing SDS: KEIMFARBEN Germany, Product safety department
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)



Page 11/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.04.2024 Version number 14.0 (replaces version 13.1) Revision: 23.04.2024

Trade name: KEIM GRANITAL

(Contd. of page 10)

vPvB: very Persistent and very Bioaccumulative

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate. NOEC: No observed effect concentration.

UK REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Carc. 2: Carcinogenicity – Category 2

 $^{\,\cdot\,}{}^{\,\star}$ Data compared to the previous version altered.

GB